

Mox Resistors - 5 Watt

Sorted by Ohm

Index	Watt	[Ω]	Weight [kg]	Full information string
002-0244	5	0,22	0,005	Res. 0,22 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0247	5	0,27	0,005	Res. 0,27 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0250	5	0,33	0,005	Res. 0,33 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0253	5	0,39	0,005	Res. 0,39 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0256	5	0,47	0,005	Res. 0,47 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0259	5	0,56	0,005	Res. 0,56 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0262	5	0,68	0,005	Res. 0,68 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0265	5	0,82	0,005	Res. 0,82 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0268	5	1,00	0,005	Res. 1,00 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0271	5	1,10	0,005	Res. 1,10 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0274	5	1,20	0,005	Res. 1,20 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0277	5	1,30	0,005	Res. 1,30 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0280	5	1,50	0,005	Res. 1,50 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0283	5	1,60	0,005	Res. 1,60 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0286	5	1,80	0,005	Res. 1,80 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0289	5	2,00	0,005	Res. 2,00 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0292	5	2,20	0,005	Res. 2,20 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0295	5	2,40	0,005	Res. 2,40 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0298	5	2,70	0,005	Res. 2,70 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0301	5	3,00	0,005	Res. 3,00 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0304	5	3,30	0,005	Res. 3,30 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0307	5	3,60	0,005	Res. 3,60 Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof

Mox Resistors - 5 Watt

Sorted by Ohm

Index	Watt	[Ω]	Weight [kg]	Full information string
002-0310	5	3,90	0,005	Res. 3,90Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0313	5	4,30	0,005	Res. 4,30Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0316	5	4,70	0,005	Res. 4,70Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0319	5	5,10	0,005	Res. 5,10Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0322	5	5,60	0,005	Res. 5,60Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0325	5	6,20	0,005	Res. 6,20Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0328	5	6,80	0,005	Res. 6,80Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0331	5	7,50	0,005	Res. 7,50Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0334	5	8,20	0,005	Res. 8,20Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0337	5	9,10	0,005	Res. 9,10Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0340	5	10,00	0,005	Res. 10,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0343	5	12,00	0,005	Res. 12,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0346	5	15,00	0,005	Res. 15,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0349	5	18,00	0,005	Res. 18,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0352	5	22,00	0,005	Res. 22,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0355	5	27,00	0,005	Res. 27,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0358	5	33,00	0,005	Res. 33,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0359	5	36,00	0,005	Res. 36,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0361	5	39,00	0,005	Res. 39,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0363	5	43,00	0,005	Res. 43,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0364	5	47,00	0,005	Res. 47,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0366	5	51,00	0,005	Res. 51,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof

Mox Resistors - 5 Watt

Sorted by Ohm

Index	Watt	[Ω]	Weight [kg]	Full information string
002-0367	5	56,00	0,005	Res. 56,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0369	5	62,00	0,005	Res. 62,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0370	5	68,00	0,005	Res. 68,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0372	5	75,00	0,005	Res. 75,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0373	5	82,00	0,005	Res. 82,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof
002-0376	5	100,00	0,005	Res. 100,00Ω 5 Watt 5% MOX Ty-Ohm dim.8,5 / 24 flameproof